

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 6143-CPR-2013/07/01

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

6143

Morsø 6143

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

SINTEF NBL as

Notified body No. 1084

#### 8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 150
	Sides = 400
	Front = -
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.03%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [274°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	5.9 kW
Room heating output	5.9 kW
Water heating output	- kW
Energy efficiency	η [80.1%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 



#### Regulation (EU) 305/2011

No. 6140-CPR-2013/07/01

1. Unique identification code of product-type: 6140

2. Identification element of the construction product: Morsø 6140

Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification: Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900 4.

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

SINTEF NBL as

Notified body No. 1084

8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 150
	Sides = 400
	Front = -
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.03%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [274°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	5.9 kW
Room heating output	5.9 kW
Water heating output	- kW
Energy efficiency	η [80.1%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No. 6148-CPR-2013/07/01



1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

6148

Morsø 6148

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

SINTEF NBL as

Notified body No. 1084

#### 8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 150
	Sides = 400
	Front = -
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.03%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [274°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	5.9 kW
Room heating output	5.9 kW
Water heating output	- kW
Energy efficiency	η [80.1%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

6150

Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No. 6150-CPR-2013/07/01

Unique identification code of product-type:

2. Identification element of the construction product: Morsø 6150



3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

SINTEF NBL as Notified body No. 1084

#### 8. Declared performance:

4.

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 150
	Sides = 400
	Front = -
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.03%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [274°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	5.9 kW
Room heating output	5.9 kW
Water heating output	- kW
Energy efficiency	η [80.1%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen ∰ansen

Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No. 6170-CPR-2013/07/01

1. Unique identification code of product-type: 6170

2. Identification element of the construction product: Morsø 6170

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply



4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

SINTEF NBL as Notified body No. 1084

#### 8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 150
	Sides = 400
	Front = -
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.03%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [274°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	5.9 kW
Room heating output	5.9 kW
Water heating output	- kW
Energy efficiency	η [80.1%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 6190-CPR-2013/07/01

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of

6190

Morsø 6190

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark



authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and 7. verification of constancy of performance:

Not applicable

System 3

SINTEF NBL as Notified body No. 1084

#### 8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 150
	Sides = 400
	Front = -
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.03%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [274°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	5.9 kW
Room heating output	5.9 kW
Water heating output	- kW
Energy efficiency	η [80.1%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 7642-CPR-2013/07/01

1. Unique identification code of product-type: 7642

2. Identification element of the construction product: 3.

Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

Morsø 7642

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3



7. Notified body relevant to the assessment and verification of constancy of performance:

**RRF** 

Notified body No. 1625

8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 150
	Sides = 350
	Front = 800
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.10%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [283°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	6.2 kW
Room heating output	6.2 kW
Water heating output	- kW
Energy efficiency	η [78.7%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No. 7644-CPR-2013/07/01

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

7644

Morsø 7644

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

**RRF** 

Notified body No. 1625



#### 8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 150
	Sides = 350
	Front = 800
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.10%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [283°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	6.2 kW
Room heating output	6.2 kW
Water heating output	- kW
Energy efficiency	η [78.7%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

DECLARATION OF PERFORMANCE Regulation (EU) 305/2011

No. 7648-CPR-2013/07/01

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

7648

Morsø 7648

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

**RRF** 

Notified body No. 1625



Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 150
	Sides = 350
	Front = 800
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.10%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [283°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	6.2 kW
Room heating output	6.2 kW
Water heating output	- kW
Energy efficiency	η [78.7%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 7650-CPR-2013/07/01

1. Unique identification code of product-type: 7650

2. Identification element of the construction product: Morsø 7650

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of

performance of the construction product:
7. Notified body relevant to the assessment and

 Notified body relevant to the assessment and verification of constancy of performance: RRF

Not applicable

System 3

Notified body No. 1625

8. Declared performance:

6.

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance



Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 150
	Sides = 350
	Front = 800
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.10%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [283°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	6.2 kW
Room heating output	6.2 kW
Water heating output	- kW
Energy efficiency	η [78.7%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Nykøbing Mors, Denmark

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 7670-CPR-2013/07/01

1. Unique identification code of product-type: 7670

Morsø 7670 2. Identification element of the construction product:

Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification: Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900 4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of Not applicable

authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product: System 3

7. Notified body relevant to the assessment and verification of constancy of performance: RRF Notified body No. 1625

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1



Distance to combustible materials	Minimum distances, in mm.
	Rear = 150
	Sides = 350
	Front = 800
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.10%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [283°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	6.2 kW
Room heating output	6.2 kW
Water heating output	- kW
Energy efficiency	η [78.7%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen Managing Director

7690

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 7690-CPR-2013/07/01

Unique identification code of product-type:

2. Identification element of the construction product: Morsø 7690

Intended use or uses of the construction product, in accordance with the applicable technical specification: Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark
5. Where applicable, name and contact address of

authorized representative: Not applicable

6. System of assessment and verification of constancy of performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

RRF
Notified body No. 1625

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 150
	Sides = 350



	Front = 800
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.10%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [283°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	6.2 kW
Room heating output	6.2 kW
Water heating output	- kW
Energy efficiency	η [78.7%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen ∰ansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 5448-CPR-2013/07/01

1. Unique identification code of product-type: 5448

Identification element of the construction product: Morsø 5448 2.

Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification: Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of

6. performance of the construction product: Notified body relevant to the assessment and

7. verification of constancy of performance: System 3

Not applicable

**RRF** 

Notified body No. 1625

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 150
	Sides = 200
	Front = 800
Risk of burning fuel falling out	Pass



Emission of combustible products	CO [ 0.06%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [192°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	5.0 kW
Room heating output	5.0 kW
Water heating output	- kW
Energy efficiency	η [82.8%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Not applicable

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 7940-CPR-2013/07/01

1. Unique identification code of product-type: 7940

2. Identification element of the construction product: Morsø 7940

Intended use or uses of the construction product, in

accordance with the applicable technical specification: Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark
Where applicable, name and contact address of

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of

performance of the construction product:

Notified body relevant to the assessment and verification of constancy of performance:

System 3

Danish Technological Institute

Notified body No. 0396

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 125
	Sides = 700
	Front = 900
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.04%]
Surface temperature	Pass



Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [283°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	7.2 kW
Room heating output	7.2 kW
Water heating output	- kW
Energy efficiency	η [79%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 7943-CPR-2013/07/01

1. Unique identification code of product-type: 7943

2. Identification element of the construction product: Morsø 7943

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer:

Morsø Jernstøberi A/S, Furvej 6, 7900

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Fu Nykøbing Mors, Denmark

 Where applicable, name and contact address of authorized representative: Not applicable

6. System of assessment and verification of constancy of performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Danish Technological Institute Notified body No. 0396

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 125
	Sides = 700
	Front = 900
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.04%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass





Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [283°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	7.2 kW
Room heating output	7.2 kW
Water heating output	- kW
Energy efficiency	η [79%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 7948-CPR-2013/07/01

1. Unique identification code of product-type: 7948

2. Identification element of the construction product: Morsø 7948

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

6. System of assessment and verification of constancy of

performance of the construction product: System 3
7. Notified body relevant to the assessment and

verification of constancy of performance:

Danish Technological Institute
Notified body No. 0396

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 125
	Sides = 700
	Front = 900
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.04%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [283°C]





Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	7.2 kW
Room heating output	7.2 kW
Water heating output	- kW
Energy efficiency	η [79%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 7950-CPR-2013/07/01

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

7950

Morsø 7950

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Danish Technological Institute Notified body No. 0396

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 125
	Sides = 700
	Front = 900
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.04%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [283°C]
Mechanical resistance (to carry a chimney /flue)	NPD ,
Thermal output	



Nominal heat output	7.2 kW
Room heating output	7.2 kW
Water heating output	- kW
Energy efficiency	η [79%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 7970-CPR-2013/07/01

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

7970

Morsø 7970

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Danish Technological Institute Notified body No. 0396

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 125
	Sides = 700
	Front = 900
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.04%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [283°C]
Mechanical resistance (to carry a chimney /flue)	NPD -
Thermal output	
Nominal heat output	7.2 kW
Room heating output	7.2 kW
Water heating output	- kW¹



Energy efficiency	η [79%] at nominal heat output
-------------------	--------------------------------

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

7990

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 7990-CPR-2013/07/01

Unique identification code of product-type: 1.

2. Identification element of the construction product: Morsø 7990

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification: Roomheater burning solid fuel without

hot water supply

Not applicable

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

System 3

Danish Technological Institute

Notified body No. 0396

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 125
	Sides = 700
	Front = 900
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.04%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [283°C]
Mechanical resistance (to carry a chimney /flue)	NPD /
Thermal output	
Nominal heat output	7.2 kW
Room heating output	7.2 kW
Water heating output	- kW <sup>1</sup>
Energy efficiency	Π [79%] at nominal heat output



This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 8140-CPR-2013/07/01

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

8140

Morsø 8140

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

SINTEF NBL as

Notified body No. 1084

8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 150
	Sides = 500
	Front = -
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.07%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [256°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	6.3 kW
Room heating output	6.3 kW
Water heating output	- kW¹
Energy efficiency	η [80.5%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified



in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 8142-CPR-2013/07/01

1. Unique identification code of product-type: 8142

Identification element of the construction product: 2. Morsø 8142

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

System of assessment and verification of constancy of

performance of the construction product:

Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

SINTEF NBL as

Notified body No. 1084

#### 8. Declared performance:

6.

7.

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 150
	Sides = 500
	Front = -
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.07%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [256°C]
Mechanical resistance (to carry a chimney /flue)	NPD _
Thermal output	
Nominal heat output	6.3 kVV
Room heating output	6.3 kW
Water heating output	- kW <sup>1</sup>
Energy efficiency	N [80.5%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4



Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 8148-CPR-2013/07/01

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

8148

Morsø 8148

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

SINTEF NBL as

Notified body No. 1084

## 8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 150
	Sides = 500
	Front = -
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.07%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [256°C]
Mechanical resistance (to carry a chimney /flue)	NPD / /
Thermal output	
Nominal heat output	6.3 kW
Room heating output	6.3 kW
Water heating output	- kW <sup>1</sup>
Energy efficiency	Π [80.5%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director



#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 8150-CPR-2013/07/01

Unique identification code of product-type:

2. Identification element of the construction product: Morsø 8150

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification: Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of

performance of the construction product:

Notified body relevant to the assessment and

verification of constancy of performance:

Not applicable

System 3

8150

SINTEF NBL as

Notified body No. 1084

#### 8. Declared performance:

7.

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 150
	Sides = 500
	Front = -
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.07%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [256°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	6.3 kW
Room heating output	6.3 kW
Water heating output	- kW
Energy efficiency	η [80.5%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



No. 8170-CPR-2013/07/01

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

8170

Morsø 8170

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

SINTEF NBL as

Notified body No. 1084

8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 150
	Sides = 500
	Front = -
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.07%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [256°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	6.3 kW
Room heating output	6.3 kW
Water heating output	- kW
Energy efficiency	η [80.5%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No. S10-40-CPR-2013/07/01

1. Unique identification code of product-type:

S10-40



2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Morsø S10-40

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

SINTEF NBL as Notified body No. 1084

#### 8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 200
	Sides = 400
	Front = -
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.12%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [211°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	5.7 kW
Room heating output	5.7 kW
Water heating output	- kW
Energy efficiency	η [78.4%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No. S10-45-CPR-2013/07/01

1. Unique identification code of product-type: S10-45

2. Identification element of the construction product: Morsø S10-45

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without



4. Name and contact address of the manufacturer:

Where applicable, name and contact address of 5. authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

Notified body relevant to the assessment and 7. verification of constancy of performance:

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

SINTEF NBL as

Notified body No. 1084

#### 8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007	
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear = 200	
	Sides = 400	
	Front = -	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ 0.12%]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	
Maximum water operating pressure	- bar	
Fluegas temperature at nominal heat output	T [211°C]	
Mechanical resistance (to carry a chimney /flue)	NPD	
Thermal output		
Nominal heat output	5.7 kW	
Room heating output	5.7 kW	
Water heating output	- kW	
Energy efficiency	η [78.4%] at nominal heat output	

The performance of the product identified in points 1 and 2 is in conformity with the declared 9. performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. S10-70-CPR-2013/07/01

1. Unique identification code of product-type: S10-70

Identification element of the construction product: 2.

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

Morsø S10-70

Morsø Jernstøberi A/S, Furvej 6, 7900 4. Name and contact address of the manufacturer:

Nykøbing Mors, Denmark



- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

SINTEF NBL as Notified body No. 1084

#### 8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 200
	Sides = 400
	Front = -
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.12%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [211°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	5.7 kW
Room heating output	5.7 kW
Water heating output	- kW
Energy efficiency	Π [78.4%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No. S11-43-CPR-2013/07/01

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of

S11-43

Morsø S11-43

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable



performance of the construction product: 7. Notified body relevant to the assessment and verification of constancy of performance:

System 3

RRF

Notified body No. 1625

8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 260
	Sides = 280
	Front = 800
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.07%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [243°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	4.4 kW
Room heating output	4.4 kW
Water heating output	- kW
Energy efficiency	η [83.4%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

6.

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No. S11-70-CPR-2013/07/01

1. Unique identification code of product-type: S11-70

2. Identification element of the construction product: Morsø S11-70

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900 4.

Nykøbing Mors, Denmark

Where applicable, name and contact address of 5.

authorized representative: System of assessment and verification of constancy of

performance of the construction product:

Notified body relevant to the assessment and 7. verification of constancy of performance:

Not applicable

System 3

**RRF** 



Notified body No. 1625

#### 8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 260
	Sides = 280
	Front = 800
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.07%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [243°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	4.4 kW
Room heating output	4.4 kW
Water heating output	- kW
Energy efficiency	η [83.4%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen ₩ansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. S11-90-CPR-2013/07/01

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

S11-90

Morsø S11-90

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

RRF

Notified body No. 1625



Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 260
	Sides = 280
	Front = 800
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.07%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [243°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	4.4 kW
Room heating output	4.4 kW
Water heating output	- kW
Energy efficiency	η [83.4%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Not applicable

System 3

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. S12-40-CPR-2013/07/01

1. Unique identification code of product-type: \$12-40

2. Identification element of the construction product: Morsø S12-40

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of

performance of the construction product:

7. Notified body relevant to the assessment and

Notified body relevant to the assessment and verification of constancy of performance:

SINTEF NBL as Notified body No. 1084

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance



Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 125
	Sides = 300
	Front = -
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.05%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [182°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	6.1 kW
Room heating output	6.1 kW
Water heating output	- kW
Energy efficiency	η [87%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

DECLARATION OF PERFORMANCE

ECEANATION OF TENTONIAN

Regulation (EU) 305/2011

No. S50-40-CPR-2013/07/01

1. Unique identification code of product-type:

2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and verification of constancy of performance:

S50-40

Morsø S50-40

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

RRF

Notified body No. 1625

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1



Distance to combustible materials	Minimum distances, in mm.
	Rear = 300
	Sides = 500
	Front = 800
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.08%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [272°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	8.6 kW
Room heating output	8.6 kW
Water heating output	- kW
Energy efficiency	η [78,3%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. S50-45-CPR-2013/07/01

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

S50-45

Morsø S50-45

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

RRF

Notified body No. 1625

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	•
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 300
	Sides = 500



	Front = 800
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.08%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [272°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	8.6 kW
Room heating output	8.6 kW
Water heating output	- kW
Energy efficiency	η [78.3%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. S80-CPR-2013/07/01

1. Unique identification code of product-type: S80

2. Identification element of the construction product: Morsø S80 Insert

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification: Roomheater burning solid fuel without

hot water supply

Not applicable

System 3

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and

verification of constancy of performance:

SINTEF NBL as
Notified body No. 1084

Harmonized technical specification	EN 13 229:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	·
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 200
	Sides = 400
	Front = -
Risk of burning fuel falling out	Pass



Emission of combustible products	CO [ 0.09%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [275°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	9 kW
Room heating output	9 kW
Water heating output	- kW
Energy efficiency	η [76.7%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 5660-CPR-2013/07/01

1. Unique identification code of product-type: 5660

Identification element of the construction product: Morsø 5660 Insert

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

 Where applicable, name and contact address of authorized representative: Not

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Morsø Jernstøberi A/S, Ft Nykøbing Mors, Denmark

Not applicable

System 3

Danish Technological Institute Notified body No. 0396

Harmonized technical specification	EN 13 229:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 0
	Sides = 0
	Front = 1300
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.10%]
Surface temperature	Pass



Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [286°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	6.5 kW
Room heating output	6.5 kW
Water heating output	- kW
Energy efficiency	η [75%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. S81-CPR- 2013/07/01

Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and verification of constancy of performance:

S81

Morsø S81 Insert

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Danish Technological Institute Notified body No. 0396

Harmonized technical specification	EN 13 229:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 0
	Sides = 0
	Front = 700
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.04%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass





Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [155°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	4.4 kW
Room heating output	4.4 kW
Water heating output	- kW
Energy efficiency	η [88%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 1412-CPR-2013/07/01

1. Unique identification code of product-type: 1412

2. Identification element of the construction product: Morsø 1412

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification: Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900 4.

Nykøbing Mors, Denmark

Where applicable, name and contact address of 5. authorized representative:

6. System of assessment and verification of constancy of

performance of the construction product:

7. Notified body relevant to the assessment and

verification of constancy of performance:

Not applicable

System 3

RRF

Notified body No. 1625

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 200
	Sides = 500
	Front = -
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.08%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [210°C]





Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	5.0 kW
Room heating output	5.0 kW
Water heating output	- kW
Energy efficiency	η [78.5%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 1442-CPR-2013/07/01

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of

performance of the construction product:7. Notified body relevant to the assessment and

Notified body relevant to the assessment and verification of constancy of performance:

1442

Morsø 1442

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

**RRF** 

Notified body No. 1625

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 200
	Sides = 300
	Front = -
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.08%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [210°C]
Mechanical resistance (to carry a chimney /flue)	NPD /
Thermal output	



Nominal heat output	5.0 kW
Room heating output	5.0 kW
Water heating output	- kW
Energy efficiency	η [78.5%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 1452-CPR-2013/07/01

Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

1452

Morsø 1452

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

**RRF** 

Notified body No. 1625

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 200
	Sides = 500
	Front = -
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.08%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [210°C]
Mechanical resistance (to carry a chimney /flue)	NPD -
Thermal output	
Nominal heat output	5.0 kVV
Room heating output	5.0 kW
Water heating output	- kW¹



Energy efficiency	η [78.5%] at nominal heat output
=::0:9, 0:::0:0::0;	I [ [ I o lo /o] at Hollinia Hoat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

4.

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# Managing Director DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No. 1416DG-CPR-2013/07/01

Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

1416 DG

Morsø 1416 double glass

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

**RRF** 

Notified body No. 1625

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 320
	Sides = 520
	Front = 800
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.07%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [218°C]
Mechanical resistance (to carry a chimney /flue)	NPD /
Thermal output	
Nominal heat output	4.1 kW
Room heating output	4.1 kW
Water heating output	- kW <sup>1</sup>
Energy efficiency	Π [78.4%] at nominal heat output



This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 1418DG-CPR-2013/07/01

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

1418 DG

Morsø 1418 double glass

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

**RRF** 

Notified body No. 1625

8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 320
	Sides = 520
	Front = 800
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.07%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [218°C]
Mechanical resistance (to carry a chimney /flue)	NPD /
Thermal output	
Nominal heat output	4.1 kW
Room heating output	4.1 kW
Water heating output	- kW <sup>1</sup>
Energy efficiency	η [78.4%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified



in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 1416SG-CPR-2013/07/01

1. Unique identification code of product-type: 1416 SG

Identification element of the construction product: 2. Morsø 1446 single glass

3. Intended use or uses of the construction product, in accordance with the applicable technical specification: Roomheater burning solid fuel without

hot water supply 4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

RRF

Notified body No. 1625

8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 330
	Sides = 470
	Front = 800
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.07%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [218°C]
Mechanical resistance (to carry a chimney /flue)	NPD /
Thermal output	
Nominal heat output	4.1 kW
Room heating output	4.1 kW
Water heating output	- kW <sup>1</sup>
Energy efficiency	η [78.4%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4



Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 1418SG-CPR-2013/07/01

1. Unique identification code of product-type: 1418 SG

Morsø 1448 single glass 2. Identification element of the construction product:

Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Where applicable, name and contact address of 5. authorized representative:

System of assessment and verification of constancy of

6. performance of the construction product:

Notified body relevant to the assessment and 7. verification of constancy of performance:

Not applicable

System 3

RRF

Notified body No. 1625

#### 8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 330
	Sides = 470
	Front = 800
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.07%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [218°C]
Mechanical resistance (to carry a chimney /flue)	NPD \
Thermal output	
Nominal heat output	4.1 kW
Room heating output	4.1 kW
Water heating output	- kW <sup>1</sup>
Energy efficiency	Π [78.4%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen ∰ansen

Managing Director



### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 1446DG-CPR-2013/07/01

Unique identification code of product-type: 1446 DG

2. Identification element of the construction product: Morsø 1416 double glass

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark 5. Where applicable, name and contact address of

authorized representative:

Not applicable

6. System of assessment and verification of constancy of performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance: RRF

Notified body No. 1625

### 8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 190
	Sides = 320
	Front = 800
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.07%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [218°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	4.1 kW
Room heating output	4.1 kW
Water heating output	- kW
Energy efficiency	η [78.4%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011



### No. 1448DG-CPR-2013/07/01

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

1448 DG

Morsø 1418 double glass

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

**RRF** 

Notified body No. 1625

### 8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 190
	Sides = 320
	Front = 800
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.07%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [218°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	4.1 kW
Room heating output	4.1 kW
Water heating output	- kW
Energy efficiency	η [78.4%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No. 1446SG-CPR-2013/07/01

1. Unique identification code of product-type:

1446 SG



2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Morsø 1446 single glass

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

RRF

Notified body No. 1625

### 8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 300
	Sides = 350
	Front = 800
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.07%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [218°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	4.1 kW
Room heating output	4.1 kW
Water heating output	- kW
Energy efficiency	η [78.4%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

DECLARATION OF PERFORMANCE Regulation (EU) 305/2011

9, ....

No. 1448SG-CPR-2013/07/01

1. Unique identification code of product-type: 1448 SG

2. Identification element of the construction product: Morsø 1448 single glass

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without



4. Name and contact address of the manufacturer:

Where applicable, name and contact address of 5. authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

Notified body relevant to the assessment and 7. verification of constancy of performance:

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

RRF

Notified body No. 1625

#### 8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 300
	Sides = 350
	Front = 800
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.07%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [218°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	4.1 kW
Room heating output	4.1 kW
Water heating output	- kW
Energy efficiency	η [78.4%] at nominal heat output

The performance of the product identified in points 1 and 2 is in conformity with the declared 9. performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

1126

Morsø 1126

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 1126-CPR-2013/07/01

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900 4. Name and contact address of the manufacturer:

Nykøbing Mors, Denmark



- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

SINTEF NBL as Notified body No. 1084

### 8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 300
	Sides = 400
	Front = -
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.08%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [263°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	7.8 kW
Room heating output	7.8 kW
Water heating output	- kW
Energy efficiency	η [80.7%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 2140-CPR-2013/07/01

Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of

2140

Morsø 2140

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable



performance of the construction product:Notified body relevant to the assessment and verification of constancy of performance:

System 3

SINTEF NBL as and RRF Notified body No. 1084 and 1625

8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 200
	Sides = 400
	Front = -
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.09%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [268°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	5.5 kW
Room heating output	5.5 kW
Water heating output	- kW
Energy efficiency	η [78.3%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No. 3142-CPR-2013/07/01

1. Unique identification code of product-type: 3142

Identification element of the construction product: Morsø 3142

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer: hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 790
 Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

Roomheater burning solid fuel without

System 3

SINTEF NBL as



Notified body No. 1084

### 8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 200
	Sides = 600
	Front = -
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.04%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [218°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	5.2 kW
Room heating output	5.2 kW
Water heating output	- kW
Energy efficiency	η [81%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen ∰ansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 3440-CPR-2013/07/01

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

3440

Morsø 3440

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

SINTEF NBL as and Danish Technological Institute Notified body No. 1084 and 0396



### 8. Declared performance:

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 350
	Sides = 350
	Front = 800
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ 0.10%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [265°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	6.5 kW
Room heating output	6.5 kW
Water heating output	- kW
Energy efficiency	η [80.1%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen ⊬ansen

**Managing Director** 

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 2BSR-CPR-2013/07/01

Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

2B Standard radiant

Morsø 2B Standard Radiant

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

SINTEF NBL as Notified body No. 1084

-		
I	Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007



Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear = 400	
	Sides = 850	
	Front = -	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ 0.07%]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	
Maximum water operating pressure	- bar	
Fluegas temperature at nominal heat output	T [332°C]	
Mechanical resistance (to carry a chimney /flue)	NPD	
Thermal output		
Nominal heat output	5.13 kW	
Room heating output	5.13 kW	
Water heating output	- kW	
Energy efficiency	η [60.9%] at nominal heat output	

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen ⊮ansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 2BSC-CPR-2013/07/01

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

2B Standard convection

Morsø 2B Standard Convection

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

SINTEF NBL as

Notified body No. 1084

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	



Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear = 300	
	Sides = 400	
	Front = -	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ 0.07%]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	
Maximum water operating pressure	- bar	
Fluegas temperature at nominal heat output	T [332°C]	
Mechanical resistance (to carry a chimney /flue)	NPD	
Thermal output		
Nominal heat output	5.13 kW	
Room heating output	5.13 kW	
Water heating output	- kW	
Energy efficiency	η [60.9%] at nominal heat output	

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. 2BC-CPR-2013/07/01

1. Unique identification code of product-type:

2. Identification element of the construction product:

Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

2B Classic

Morsø 2B Classic

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

RRF and SINTEF NBL as

Notified body No. 1625 and 1084

Harmonized technical specification	EN 13 240:2001/A2:2004/AC:2007
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 400



	Sides = 850	
	Front = -	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ 0.10%]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	
Maximum water operating pressure	- bar	
Fluegas temperature at nominal heat output	T [214°C]	
Mechanical resistance (to carry a chimney /flue)	NPD	
Thermal output		
Nominal heat output	8.2 kW	
Room heating output	8.2 kW	
Water heating output	- kW	
Energy efficiency	η [83%] at nominal heat output	

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

Nykøbing Mors, Denmark

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No. P30-CPR-2013/07/01

1. Unique identification code of product-type: P30

2. Identification element of the construction product: Morsø P30 Pilleovn

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

5. Where applicable, name and contact address of authorized representative:

Not applicable

6. System of assessment and verification of constancy of performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

KIWA
Notified body No. 0694

Harmonized technical specification	EN 14 785:2006
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear = 200
	Sides = 200
	Front = -
Risk of burning fuel falling out	Pass



Emission of combustible products	CO [ 0.03%]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	
Maximum water operating pressure	- bar	
Fluegas temperature at nominal heat output	T [223°C]	
Mechanical resistance (to carry a chimney /flue)	NPD	
Thermal output		
Nominal heat output	6.89 kW	
Room heating output	6.89 kW	
Water heating output	- kW	
Energy efficiency	η [85.3%] at nominal heat output	
	η [87.5%] at reduced heat output	

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

**Managing Director** 

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of

authorized representative: 6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and

verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass



Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

- -

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar





Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	



Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of

authorized representative:System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output



This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification: Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6.

performance of the construction product: Notified body relevant to the assessment and 7. verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

The performance of the product identified in points 1 and 2 is in conformity with the declared 9. performance in point 8.



This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4



Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

Where applicable, name and contact address of 5. authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

Notified body relevant to the assessment and 7. verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \langle \langle \langle \cappa \ca
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

**DECLARATION OF PERFORMANCE** 



# Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.



- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without



4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Nykøbing Mors, Denmark

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark



authorized representative:

Not applicable

6. System of assessment and verification of constancy of performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3



verification of constancy of performance: Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen ∰ansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

hot water supply

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

Morsø Jernstøberi A/S, Furvej 6, 7900

System 3

Notified body No.



Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	
Maximum water operating pressure	- bar	
Fluegas temperature at nominal heat output	T [°C]	
Mechanical resistance (to carry a chimney /flue)	NPD	
Thermal output		
Nominal heat output	kW	
Room heating output	kW	
Water heating output	- kW	
Energy efficiency	η [%] at nominal heat output	

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	



Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	
Maximum water operating pressure	- bar	
Fluegas temperature at nominal heat output	T [°C]	
Mechanical resistance (to carry a chimney /flue)	NPD	
Thermal output		
Nominal heat output	kW	
Room heating output	kW	
Water heating output	- kW	
Energy efficiency	η [%] at nominal heat output	

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.  Rear = Sides =	



	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen ⊮ansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]



Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- Notified body relevant to the assessment and 7.
- verification of constancy of performance:

- Roomheater burning solid fuel without
- hot water supply
- Morsø Jernstøberi A/S, Furvej 6, 7900
- Nykøbing Mors, Denmark
- Not applicable
- System 3
- Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	









Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Where applicable, name and contact address of 5. authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and 7.

verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD





Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, \ \
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW



Energy efficiency	Π [%] at nominal heat output
-------------------	------------------------------

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# **Managing Director DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (
Room heating output	$  kW \downarrow \rfloor   \times   C  $
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared



performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of

performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

6.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4



Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

5.

Performance
•
A1
Minimum distances, in mm.
Rear =
Sides =
Front =
Pass
CO [ %]
Pass
Pass
Pass
- bar
T [°C]
NPD
kW
$  kW \downarrow \rfloor \rangle$
- kW
η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director



# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in



accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

6. System of assessment and verification of constancy of performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

The performance of the product identified in points 1 and 2 is in conformity with the declared 9. performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Nykøbing Mors, Denmark



5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

Notified body relevant to the assessment and 7. verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

hot water supply Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

5.

Nykøbing Mors, Denmark

Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3



7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance



Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification: R

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.



	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

5. Where applicable, name and contact address of

authorized representative: 6. System of assessment and verification of constancy of

performance of the construction product: 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass



Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass



Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

 Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:7. Notified body relevant to the assessment and

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]







Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW



Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

# Managing Director DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output



This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	$  kW \downarrow \rfloor \rangle$
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified



in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Essential characteristics  Fire safety  Reaction to fire  Distance to combustible materials  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Room heating output  Room heating output  Room heating output	Harmonized technical specification	
Reaction to fire  Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  Nominal heat output  KW	Essential characteristics	Performance
Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Pass  Emission of combustible products  CO [ %]  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  KW	Fire safety	
Rear = Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass  Electrical safety Pass  Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Reaction to fire	A1
Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass Electrical safety Pass Cleanability Pass  Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD  Thermal output Nominal heat output  KW	Distance to combustible materials	Minimum distances, in mm.
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Rear =
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Sides =
Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Front =
Surface temperature  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW	Risk of burning fuel falling out	Pass
Electrical safety Cleanability Pass Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD Thermal output Nominal heat output kW	Emission of combustible products	CO [ %]
Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Surface temperature	Pass
Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Electrical safety	Pass
Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Cleanability	Pass
Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Maximum water operating pressure	- bar
Thermal output  Nominal heat output  kW	Fluegas temperature at nominal heat output	T [°C]
Nominal heat output kW ,	Mechanical resistance (to carry a chimney /flue)	NPD
	Thermal output	
Room heating output	Nominal heat output	kW (
· · · · · · · · · · · · · ·   /   /	Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output - kW	Water heating output	- kW  -
Energy efficiency \(\Pi\) [%] at nominal heat output	Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013



Peter Jessen Hansen

# Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:



2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

3.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply



4. Name and contact address of the manufacturer:

. . . . .

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO[%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable



6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



## 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

Not applicable

hot water supply

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

Morsø Jernstøberi A/S, Furvej 6, 7900

System 3



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	



Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.  Rear = Sides =	



	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen ⊮ansen

**Managing Director** 

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]



Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- Notified body relevant to the assessment and 7.
- verification of constancy of performance:

- Roomheater burning solid fuel without
- hot water supply
- Morsø Jernstøberi A/S, Furvej 6, 7900
- Nykøbing Mors, Denmark
- Not applicable
- System 3
- Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	









Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900 4.

Nykøbing Mors, Denmark

Where applicable, name and contact address of 5. authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and 7.

verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD





Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW



Energy efficiency	η [%] at nominal heat output
-------------------	------------------------------

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# **Managing Director DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	$ kW \downarrow \rfloor $
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared



performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4.

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

6.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4



Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

5.

Performance
•
A1
Minimum distances, in mm.
Rear =
Sides =
Front =
Pass
CO [ %]
Pass
Pass
Pass
- bar
T [°C]
NPD
kW
$  kW \downarrow \rfloor \rangle$
- kW
η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director



# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

### 8. Declared performance:

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	
Maximum water operating pressure	- bar	
Fluegas temperature at nominal heat output	T [°C]	
Mechanical resistance (to carry a chimney /flue)	NPD	
Thermal output		
Nominal heat output	kW	
Room heating output	kW	
Water heating output	- kW	
Energy efficiency	η [%] at nominal heat output	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in



accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

6. System of assessment and verification of constancy of performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

The performance of the product identified in points 1 and 2 is in conformity with the declared 9. performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Nykøbing Mors, Denmark



5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

Notified body relevant to the assessment and 7. verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	
Maximum water operating pressure	- bar	
Fluegas temperature at nominal heat output	T [°C]	
Mechanical resistance (to carry a chimney /flue)	NPD	
Thermal output		
Nominal heat output	kW	
Room heating output	kW	
Water heating output	- kW	
Energy efficiency	η [%] at nominal heat output	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

hot water supply Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

5.

Nykøbing Mors, Denmark

Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3



7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance



Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification: R

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.



	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen **Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

5. Where applicable, name and contact address of

authorized representative: 6. System of assessment and verification of constancy of

performance of the construction product: 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass



Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass



Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

 Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:7. Notified body relevant to the assessment and

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]







Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW



Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

# Managing Director DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output



This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of

Notified body relevant to the assessment and 7. verification of constancy of performance:

performance of the construction product:

System 3

Not applicable

Notified body No.

8. Declared performance:

6.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, \ )
Room heating output	kW \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified



in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Essential characteristics  Fire safety  Reaction to fire  Distance to combustible materials  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Room heating output  Room heating output  Room heating output	Harmonized technical specification	
Reaction to fire  Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  Nominal heat output  KW	Essential characteristics	Performance
Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Pass  Emission of combustible products  CO [ %]  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  KW	Fire safety	
Rear = Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass  Electrical safety Pass  Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Reaction to fire	A1
Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass Electrical safety Pass Cleanability Pass  Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD  Thermal output Nominal heat output  KW	Distance to combustible materials	Minimum distances, in mm.
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Rear =
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Sides =
Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Front =
Surface temperature  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW	Risk of burning fuel falling out	Pass
Electrical safety Cleanability Pass Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD Thermal output Nominal heat output kW	Emission of combustible products	CO [ %]
Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Surface temperature	Pass
Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Electrical safety	Pass
Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Cleanability	Pass
Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Maximum water operating pressure	- bar
Thermal output  Nominal heat output  kW	Fluegas temperature at nominal heat output	T [°C]
Nominal heat output kW ,	Mechanical resistance (to carry a chimney /flue)	NPD
	Thermal output	
Room heating output	Nominal heat output	kW (
· · · · · · · · · · · · · ·   /   /	Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output - kW	Water heating output	- kW  -
Energy efficiency \(\Pi\) [%] at nominal heat output	Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013



Peter Jessen Hansen

# **Managing Director**

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

accordance with the applicable technical specification

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:



2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

3.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply



4. Name and contact address of the manufacturer:

. . . . .

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO[%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable



6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

Not applicable

hot water supply

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

Morsø Jernstøberi A/S, Furvej 6, 7900

System 3



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	



Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.  Rear = Sides =	



	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen ⊮ansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]



Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- Notified body relevant to the assessment and 7.
- verification of constancy of performance:

- Roomheater burning solid fuel without
- hot water supply
- Morsø Jernstøberi A/S, Furvej 6, 7900
- Nykøbing Mors, Denmark
- Not applicable
- System 3
- Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	









Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900 4.

Nykøbing Mors, Denmark

Where applicable, name and contact address of 5. authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and 7.

verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD





Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# Managing Director DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW



Energy efficiency	η [%] at nominal heat output
-------------------	------------------------------

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# **Managing Director DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	$ kW \downarrow \rfloor $
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared



performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4.

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

6.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4



Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

5.

Performance
•
A1
Minimum distances, in mm.
Rear =
Sides =
Front =
Pass
CO [ %]
Pass
Pass
Pass
- bar
T [°C]
NPD
kW
$  kW \downarrow \rfloor \rangle$
- kW
η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director



# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in



accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

6. System of assessment and verification of constancy of performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

The performance of the product identified in points 1 and 2 is in conformity with the declared 9. performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Nykøbing Mors, Denmark



5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

Notified body relevant to the assessment and 7. verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

hot water supply Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

5.

Nykøbing Mors, Denmark

Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3



7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance



Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification: R

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.



	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen **Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

5. Where applicable, name and contact address of

authorized representative: 6. System of assessment and verification of constancy of

performance of the construction product: 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass



Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass



Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

 Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:7. Notified body relevant to the assessment and

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]







Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW



Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output



This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

Notified body relevant to the assessment and 7. verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

System 3

Not applicable

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified



in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Essential characteristics  Fire safety  Reaction to fire  Distance to combustible materials  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Room heating output  Room heating output  Room heating output	Harmonized technical specification	
Reaction to fire  Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  Nominal heat output  KW	Essential characteristics	Performance
Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Pass  Emission of combustible products  CO [ %]  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  KW	Fire safety	
Rear = Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass  Electrical safety Pass  Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Reaction to fire	A1
Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass Electrical safety Pass Cleanability Pass  Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD  Thermal output Nominal heat output  KW	Distance to combustible materials	Minimum distances, in mm.
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Rear =
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Sides =
Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Front =
Surface temperature  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW	Risk of burning fuel falling out	Pass
Electrical safety Cleanability Pass Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD Thermal output Nominal heat output kW	Emission of combustible products	CO [ %]
Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Surface temperature	Pass
Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Electrical safety	Pass
Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Cleanability	Pass
Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Maximum water operating pressure	- bar
Thermal output  Nominal heat output  kW	Fluegas temperature at nominal heat output	T [°C]
Nominal heat output kW ,	Mechanical resistance (to carry a chimney /flue)	NPD
	Thermal output	
Room heating output	Nominal heat output	kW (
· · · · · · · · · · · · · ·   /   /	Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output - kW	Water heating output	- kW  -
Energy efficiency \(\Pi\) [%] at nominal heat output	Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013



Peter Jessen Hansen

# **Managing Director**

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

accordance with the applicable technical specification

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:



2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

3.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply



4. Name and contact address of the manufacturer:

. . . .

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO[%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable



6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

Not applicable

hot water supply

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

Morsø Jernstøberi A/S, Furvej 6, 7900

System 3



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

4.

5.

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Where applicable, name and contact address of

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	



Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.  Rear = Sides =	



	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen ⊮ansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]



Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- Notified body relevant to the assessment and 7.
- verification of constancy of performance:

- Roomheater burning solid fuel without
- hot water supply
- Morsø Jernstøberi A/S, Furvej 6, 7900
- Nykøbing Mors, Denmark
- Not applicable
- System 3
- Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	









Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900 4.

Nykøbing Mors, Denmark

Where applicable, name and contact address of 5. authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and 7.

verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD





Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW



Energy efficiency	η [%] at nominal heat output
-------------------	------------------------------

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# **Managing Director DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	$ kW \downarrow \rfloor $
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared



performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4.

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

6.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4



Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

5.

Performance
•
A1
Minimum distances, in mm.
Rear =
Sides =
Front =
Pass
CO [ %]
Pass
Pass
Pass
- bar
T [°C]
NPD
kW
$  kW \downarrow \rfloor \rangle$
- kW
η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director



## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	
Maximum water operating pressure	- bar	
Fluegas temperature at nominal heat output	T [°C]	
Mechanical resistance (to carry a chimney /flue)	NPD	
Thermal output		
Nominal heat output	kW	
Room heating output	kW	
Water heating output	- kW	
Energy efficiency	η [%] at nominal heat output	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in



accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

6. System of assessment and verification of constancy of performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

The performance of the product identified in points 1 and 2 is in conformity with the declared 9. performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Nykøbing Mors, Denmark



5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

Notified body relevant to the assessment and 7. verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	
Maximum water operating pressure	- bar	
Fluegas temperature at nominal heat output	T [°C]	
Mechanical resistance (to carry a chimney /flue)	NPD	
Thermal output		
Nominal heat output	kW	
Room heating output	kW	
Water heating output	- kW	
Energy efficiency	η [%] at nominal heat output	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

hot water supply Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

5.

Nykøbing Mors, Denmark

Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3



7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance



Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification: R

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.



	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen **Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

5. Where applicable, name and contact address of

authorized representative: 6. System of assessment and verification of constancy of

performance of the construction product: 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass



Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass



Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

 Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:7. Notified body relevant to the assessment and

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]







Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW



Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output



This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	$  kW \downarrow \rfloor \rangle$
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified



in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Essential characteristics  Fire safety  Reaction to fire  Distance to combustible materials  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Room heating output  Room heating output  Room heating output	Harmonized technical specification	
Reaction to fire  Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  Nominal heat output  KW	Essential characteristics	Performance
Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Pass  Emission of combustible products  CO [ %]  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  KW	Fire safety	
Rear = Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass  Electrical safety Pass  Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Reaction to fire	A1
Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass Electrical safety Pass Cleanability Pass  Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD  Thermal output Nominal heat output  KW	Distance to combustible materials	Minimum distances, in mm.
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Rear =
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Sides =
Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Front =
Surface temperature  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW	Risk of burning fuel falling out	Pass
Electrical safety Cleanability Pass Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD Thermal output Nominal heat output kW	Emission of combustible products	CO [ %]
Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Surface temperature	Pass
Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Electrical safety	Pass
Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Cleanability	Pass
Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Maximum water operating pressure	- bar
Thermal output  Nominal heat output  kW	Fluegas temperature at nominal heat output	T [°C]
Nominal heat output kW ,	Mechanical resistance (to carry a chimney /flue)	NPD
	Thermal output	
Room heating output	Nominal heat output	kW (
· · · · · · · · · · · · · ·   /   /	Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output - kW	Water heating output	- kW  -
Energy efficiency \(\Pi\) [%] at nominal heat output	Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013



Peter Jessen Hansen

# Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:



2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

3.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply



4. Name and contact address of the manufacturer:

. . . .

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO[%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable



6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:
- 8. Declared performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

4.

5.

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Where applicable, name and contact address of

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	



Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.  Rear = Sides =	



	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen ⊮ansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]



Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- Notified body relevant to the assessment and 7.
- verification of constancy of performance:

- Roomheater burning solid fuel without
- hot water supply
- Morsø Jernstøberi A/S, Furvej 6, 7900
- Nykøbing Mors, Denmark
- Not applicable
- System 3
- Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	









Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900 4.

Nykøbing Mors, Denmark

Where applicable, name and contact address of 5. authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and 7.

verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD





Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# Managing Director DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW



Energy efficiency	η [%] at nominal heat output
-------------------	------------------------------

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (
Room heating output	$  kW \downarrow \rfloor   \times   C  $
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared



performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4.

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4



Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

5.

Performance
•
A1
Minimum distances, in mm.
Rear =
Sides =
Front =
Pass
CO [ %]
Pass
Pass
Pass
- bar
T [°C]
NPD
kW
$  kW \downarrow \rfloor \rangle$
- kW
η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director



## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	
Maximum water operating pressure	- bar	
Fluegas temperature at nominal heat output	T [°C]	
Mechanical resistance (to carry a chimney /flue)	NPD	
Thermal output		
Nominal heat output	kW	
Room heating output	kW	
Water heating output	- kW	
Energy efficiency	η [%] at nominal heat output	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in



accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

6. System of assessment and verification of constancy of performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

The performance of the product identified in points 1 and 2 is in conformity with the declared 9. performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Nykøbing Mors, Denmark



5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

Notified body relevant to the assessment and 7. verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	
Maximum water operating pressure	- bar	
Fluegas temperature at nominal heat output	T [°C]	
Mechanical resistance (to carry a chimney /flue)	NPD	
Thermal output		
Nominal heat output	kW	
Room heating output	kW	
Water heating output	- kW	
Energy efficiency	Π [%] at nominal heat output	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

hot water supply Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

5.

Nykøbing Mors, Denmark

Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3



7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance



Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification: R

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.



	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen **Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

5. Where applicable, name and contact address of

authorized representative: 6. System of assessment and verification of constancy of

performance of the construction product: 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass



Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass



Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

 Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:7. Notified body relevant to the assessment and

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]







Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW



Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

# Managing Director DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output



This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	$  kW \downarrow \rfloor \rangle$
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified



in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Essential characteristics  Fire safety  Reaction to fire  Distance to combustible materials  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Room heating output  Room heating output  Room heating output	Harmonized technical specification	
Reaction to fire  Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  Nominal heat output  KW	Essential characteristics	Performance
Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Pass  Emission of combustible products  CO [ %]  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  KW	Fire safety	
Rear = Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass  Electrical safety Pass  Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Reaction to fire	A1
Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass Electrical safety Pass Cleanability Pass  Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD  Thermal output Nominal heat output  KW	Distance to combustible materials	Minimum distances, in mm.
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Rear =
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Sides =
Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Front =
Surface temperature  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW	Risk of burning fuel falling out	Pass
Electrical safety Cleanability Pass Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD Thermal output Nominal heat output kW	Emission of combustible products	CO [ %]
Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Surface temperature	Pass
Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Electrical safety	Pass
Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Cleanability	Pass
Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Maximum water operating pressure	- bar
Thermal output  Nominal heat output  kW	Fluegas temperature at nominal heat output	T [°C]
Nominal heat output kW ,	Mechanical resistance (to carry a chimney /flue)	NPD
	Thermal output	
Room heating output	Nominal heat output	kW (
· · · · · · · · · · · · · ·   /   /	Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output - kW	Water heating output	- kW  -
Energy efficiency \(\Pi\) [%] at nominal heat output	Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013



Peter Jessen Hansen

# Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:



2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

3.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply



4. Name and contact address of the manufacturer:

. . . . .

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO[%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable



6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

Not applicable

hot water supply

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

Morsø Jernstøberi A/S, Furvej 6, 7900

System 3



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	



Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.  Rear = Sides =	



	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen ⊮ansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]



Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- Notified body relevant to the assessment and 7.
- verification of constancy of performance:

- Roomheater burning solid fuel without
- hot water supply
- Morsø Jernstøberi A/S, Furvej 6, 7900
- Nykøbing Mors, Denmark
- Not applicable
- System 3
- Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	









Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Where applicable, name and contact address of 5. authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and 7.

verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD





Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# Managing Director DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW



Energy efficiency	Π [%] at nominal heat output
-------------------	------------------------------

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	kW \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared



performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4.

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4



Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

5.

Performance
•
A1
Minimum distances, in mm.
Rear =
Sides =
Front =
Pass
CO [ %]
Pass
Pass
Pass
- bar
T [°C]
NPD
kW
$  kW \downarrow \rfloor \rangle$
- kW
η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director



## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in



accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

6. System of assessment and verification of constancy of performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

The performance of the product identified in points 1 and 2 is in conformity with the declared 9. performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Nykøbing Mors, Denmark



5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

Notified body relevant to the assessment and 7. verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

hot water supply Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

5.

Nykøbing Mors, Denmark

Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3



7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance



Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification: R

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.



	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen **Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

5. Where applicable, name and contact address of

authorized representative: 6. System of assessment and verification of constancy of

performance of the construction product: 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass



Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass



Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

 Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:7. Notified body relevant to the assessment and

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]







Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW



Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

# Managing Director DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output



This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	$  kW \downarrow \rfloor \rangle$
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified



in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Essential characteristics  Fire safety  Reaction to fire  Distance to combustible materials  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Room heating output  Room heating output  Room heating output	Harmonized technical specification	
Reaction to fire  Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  Nominal heat output  KW	Essential characteristics	Performance
Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Pass  Emission of combustible products  CO [ %]  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  KW	Fire safety	
Rear = Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass  Electrical safety Pass  Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Reaction to fire	A1
Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass Electrical safety Pass Cleanability Pass  Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD  Thermal output Nominal heat output  KW	Distance to combustible materials	Minimum distances, in mm.
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Rear =
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Sides =
Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Front =
Surface temperature  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW	Risk of burning fuel falling out	Pass
Electrical safety Cleanability Pass Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD Thermal output Nominal heat output kW	Emission of combustible products	CO [ %]
Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Surface temperature	Pass
Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Electrical safety	Pass
Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Cleanability	Pass
Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Maximum water operating pressure	- bar
Thermal output  Nominal heat output  kW	Fluegas temperature at nominal heat output	T [°C]
Nominal heat output kW ,	Mechanical resistance (to carry a chimney /flue)	NPD
	Thermal output	
Room heating output	Nominal heat output	kW (
· · · · · · · · · · · · · ·   /   /	Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output - kW	Water heating output	- kW  -
Energy efficiency \(\Pi\) [%] at nominal heat output	Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013



Peter Jessen Hansen

# Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:



2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

3.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply



4. Name and contact address of the manufacturer:

. . . . .

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO[%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable



6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

Not applicable

hot water supply

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

Morsø Jernstøberi A/S, Furvej 6, 7900

System 3



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	



Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.  Rear = Sides =	



	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen ⊮ansen

**Managing Director** 

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]



Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- Notified body relevant to the assessment and 7.
- verification of constancy of performance:

- Roomheater burning solid fuel without
- hot water supply
- Morsø Jernstøberi A/S, Furvej 6, 7900
- Nykøbing Mors, Denmark
- Not applicable
- System 3
- Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	









Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900 4.

Nykøbing Mors, Denmark

Where applicable, name and contact address of 5. authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and 7.

verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD





Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW



Energy efficiency	η [%] at nominal heat output
-------------------	------------------------------

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

## **Managing Director DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	$ kW \downarrow \rfloor $
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared



performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4.

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

6.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4



Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

5.

Performance
•
A1
Minimum distances, in mm.
Rear =
Sides =
Front =
Pass
CO [ %]
Pass
Pass
Pass
- bar
T [°C]
NPD
kW
$  kW \downarrow \rfloor \rangle$
- kW
η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director



## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in



accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

6. System of assessment and verification of constancy of performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

The performance of the product identified in points 1 and 2 is in conformity with the declared 9. performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Nykøbing Mors, Denmark



5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

Notified body relevant to the assessment and 7. verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	
Maximum water operating pressure	- bar	
Fluegas temperature at nominal heat output	T [°C]	
Mechanical resistance (to carry a chimney /flue)	NPD	
Thermal output		
Nominal heat output	kW	
Room heating output	kW	
Water heating output	- kW	
Energy efficiency	η [%] at nominal heat output	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

hot water supply Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

5.

Nykøbing Mors, Denmark

Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3



7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance



Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification: R

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.



	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen **Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

5. Where applicable, name and contact address of

authorized representative: 6. System of assessment and verification of constancy of

performance of the construction product: 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass



Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass



Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

 Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:7. Notified body relevant to the assessment and

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]







Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW



Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output



This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of

Notified body relevant to the assessment and 7. verification of constancy of performance:

performance of the construction product:

System 3

Not applicable

Notified body No.

8. Declared performance:

6.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, \ )
Room heating output	kW \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified



in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Essential characteristics  Fire safety  Reaction to fire  Distance to combustible materials  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Room heating output  Room heating output  Room heating output	Harmonized technical specification	
Reaction to fire  Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  Nominal heat output  KW	Essential characteristics	Performance
Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Pass  Emission of combustible products  CO [ %]  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  KW	Fire safety	
Rear = Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass  Electrical safety Pass  Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Reaction to fire	A1
Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass Electrical safety Pass Cleanability Pass  Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD  Thermal output Nominal heat output  KW	Distance to combustible materials	Minimum distances, in mm.
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Rear =
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Sides =
Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Front =
Surface temperature  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW	Risk of burning fuel falling out	Pass
Electrical safety Cleanability Pass Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD Thermal output Nominal heat output kW	Emission of combustible products	CO [ %]
Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Surface temperature	Pass
Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Electrical safety	Pass
Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Cleanability	Pass
Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Maximum water operating pressure	- bar
Thermal output  Nominal heat output  kW	Fluegas temperature at nominal heat output	T [°C]
Nominal heat output kW ,	Mechanical resistance (to carry a chimney /flue)	NPD
	Thermal output	
Room heating output	Nominal heat output	kW (
· · · · · · · · · · · · · ·   /   /	Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output - kW	Water heating output	- kW  -
Energy efficiency \(\Pi\) [%] at nominal heat output	Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013



Peter Jessen Hansen

# **Managing Director**

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

accordance with the applicable technical specification

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:



2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

3.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply



4. Name and contact address of the manufacturer:

. . . .

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO[%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable



6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

Not applicable

hot water supply

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

Morsø Jernstøberi A/S, Furvej 6, 7900

System 3



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	



Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.  Rear = Sides =	



	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen ⊮ansen

**Managing Director** 

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]



Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- Notified body relevant to the assessment and 7.
- verification of constancy of performance:

- Roomheater burning solid fuel without
- hot water supply
- Morsø Jernstøberi A/S, Furvej 6, 7900
- Nykøbing Mors, Denmark
- Not applicable
- System 3
- Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	









Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900 4.

Nykøbing Mors, Denmark

Where applicable, name and contact address of 5. authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and 7.

verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD





Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW



Energy efficiency	η [%] at nominal heat output
-------------------	------------------------------

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# **Managing Director DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	$ kW \downarrow \rfloor $
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared



performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4.

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

6.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4



Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

5.

Performance
•
A1
Minimum distances, in mm.
Rear =
Sides =
Front =
Pass
CO [ %]
Pass
Pass
Pass
- bar
T [°C]
NPD
kW
$  kW \downarrow \rfloor \rangle$
- kW
η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director



# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in



accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

6. System of assessment and verification of constancy of performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

The performance of the product identified in points 1 and 2 is in conformity with the declared 9. performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Nykøbing Mors, Denmark



5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

Notified body relevant to the assessment and 7. verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

hot water supply Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

5.

Nykøbing Mors, Denmark

Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3



7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance



Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification: R

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.



	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen **Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

5. Where applicable, name and contact address of

authorized representative: 6. System of assessment and verification of constancy of

performance of the construction product: 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass



Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass



Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

 Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:7. Notified body relevant to the assessment and

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]







Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW



Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output



This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of

Notified body relevant to the assessment and 7. verification of constancy of performance:

performance of the construction product:

System 3

Not applicable

Notified body No.

8. Declared performance:

6.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, \ )
Room heating output	kW \
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified



in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Essential characteristics  Fire safety  Reaction to fire  Distance to combustible materials  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Room heating output  Room heating output  Room heating output	Harmonized technical specification	
Reaction to fire  Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  Nominal heat output  KW	Essential characteristics	Performance
Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Pass  Emission of combustible products  CO [ %]  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  KW	Fire safety	
Rear = Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass  Electrical safety Pass  Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Reaction to fire	A1
Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass Electrical safety Pass Cleanability Pass  Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD  Thermal output Nominal heat output  KW	Distance to combustible materials	Minimum distances, in mm.
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Rear =
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Sides =
Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Front =
Surface temperature  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW	Risk of burning fuel falling out	Pass
Electrical safety Cleanability Pass Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD Thermal output Nominal heat output kW	Emission of combustible products	CO [ %]
Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Surface temperature	Pass
Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Electrical safety	Pass
Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Cleanability	Pass
Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Maximum water operating pressure	- bar
Thermal output  Nominal heat output  kW	Fluegas temperature at nominal heat output	T [°C]
Nominal heat output kW ,	Mechanical resistance (to carry a chimney /flue)	NPD
	Thermal output	
Room heating output	Nominal heat output	kW (
· · · · · · · · · · · · · ·   /   /	Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output - kW	Water heating output	- kW  -
Energy efficiency \(\Pi\) [%] at nominal heat output	Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013



Peter Jessen Hansen

# **Managing Director**

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

accordance with the applicable technical specification

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:



2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

3.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply



4. Name and contact address of the manufacturer:

. . . . .

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO[%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable



6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



## 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

Not applicable

hot water supply

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

Morsø Jernstøberi A/S, Furvej 6, 7900

System 3



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

4.

5.

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Where applicable, name and contact address of

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	



Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.  Rear = Sides =	



	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen ⊮ansen

**Managing Director** 

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]



Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- Notified body relevant to the assessment and 7.
- verification of constancy of performance:

- Roomheater burning solid fuel without
- hot water supply
- Morsø Jernstøberi A/S, Furvej 6, 7900
- Nykøbing Mors, Denmark
- Not applicable
- System 3
- Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	









Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900 4.

Nykøbing Mors, Denmark

Where applicable, name and contact address of 5. authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and 7.

verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD





Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW



Energy efficiency	η [%] at nominal heat output
-------------------	------------------------------

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# **Managing Director DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	$ kW \downarrow \rfloor $
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared



performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4.

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

6.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4



Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

5.

Performance
•
A1
Minimum distances, in mm.
Rear =
Sides =
Front =
Pass
CO [ %]
Pass
Pass
Pass
- bar
T [°C]
NPD
kW
$  kW \downarrow \rfloor \rangle$
- kW
η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director



# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in



accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

6. System of assessment and verification of constancy of performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

The performance of the product identified in points 1 and 2 is in conformity with the declared 9. performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Nykøbing Mors, Denmark



5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

Notified body relevant to the assessment and 7. verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

hot water supply Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

5.

Nykøbing Mors, Denmark

Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3



7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance



Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification: R

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.



	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

5. Where applicable, name and contact address of

authorized representative: 6. System of assessment and verification of constancy of

performance of the construction product: 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass



Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass



Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

 Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:7. Notified body relevant to the assessment and

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]







Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW



Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output



This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	$  kW \downarrow \rfloor \rangle$
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified



in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Essential characteristics  Fire safety  Reaction to fire  Distance to combustible materials  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Room heating output  Room heating output  Room heating output	Harmonized technical specification	
Reaction to fire  Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  Nominal heat output  KW	Essential characteristics	Performance
Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Pass  Emission of combustible products  CO [ %]  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  KW	Fire safety	
Rear = Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass  Electrical safety Pass  Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Reaction to fire	A1
Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass Electrical safety Pass Cleanability Pass  Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD  Thermal output Nominal heat output  KW	Distance to combustible materials	Minimum distances, in mm.
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Rear =
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Sides =
Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Front =
Surface temperature  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW	Risk of burning fuel falling out	Pass
Electrical safety Cleanability Pass Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD Thermal output Nominal heat output kW	Emission of combustible products	CO [ %]
Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Surface temperature	Pass
Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Electrical safety	Pass
Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Cleanability	Pass
Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Maximum water operating pressure	- bar
Thermal output  Nominal heat output  kW	Fluegas temperature at nominal heat output	T [°C]
Nominal heat output kW ,	Mechanical resistance (to carry a chimney /flue)	NPD
	Thermal output	
Room heating output	Nominal heat output	kW (
· · · · · · · · · · · · · ·   /   /	Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output - kW	Water heating output	- kW  -
Energy efficiency \(\Pi\) [%] at nominal heat output	Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013



Peter Jessen Hansen

# Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:



2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

3.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply



4. Name and contact address of the manufacturer:

. . . . .

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO[%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable



6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	
Maximum water operating pressure	- bar	
Fluegas temperature at nominal heat output	T [°C]	
Mechanical resistance (to carry a chimney /flue)	NPD	
Thermal output		
Nominal heat output	kW	
Room heating output	kW	
Water heating output	- kW	
Energy efficiency	η [%] at nominal heat output	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

Not applicable

hot water supply

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

Morsø Jernstøberi A/S, Furvej 6, 7900

System 3



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

4.

5.

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Where applicable, name and contact address of

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	



Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.  Rear = Sides =	



	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen ⊮ansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]



Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- Notified body relevant to the assessment and 7.
- verification of constancy of performance:

- Roomheater burning solid fuel without
- hot water supply
- Morsø Jernstøberi A/S, Furvej 6, 7900
- Nykøbing Mors, Denmark
- Not applicable
- System 3
- Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	









Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900 4.

Nykøbing Mors, Denmark

Where applicable, name and contact address of 5. authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and 7.

verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD





Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# Managing Director DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW



Energy efficiency	η [%] at nominal heat output
-------------------	------------------------------

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (
Room heating output	$  kW \downarrow \rfloor   \times   C  $
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared



performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4.

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4



Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

5.

Performance
•
A1
Minimum distances, in mm.
Rear =
Sides =
Front =
Pass
CO [ %]
Pass
Pass
Pass
- bar
T [°C]
NPD
kW
$  kW \downarrow \rfloor \rangle$
- kW
η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director



## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in



accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

6. System of assessment and verification of constancy of performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

The performance of the product identified in points 1 and 2 is in conformity with the declared 9. performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Nykøbing Mors, Denmark



5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

Notified body relevant to the assessment and 7. verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

hot water supply Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

5.

Nykøbing Mors, Denmark

Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3



7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance



Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification: R

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.



	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen **Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

5. Where applicable, name and contact address of

authorized representative: 6. System of assessment and verification of constancy of

performance of the construction product: 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass



Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass



Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

 Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:7. Notified body relevant to the assessment and

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]







Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW



Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output



This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	$  kW \downarrow \rfloor \rangle$
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified



in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Essential characteristics  Fire safety  Reaction to fire  Distance to combustible materials  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Room heating output  Room heating output  Room heating output	Harmonized technical specification	
Reaction to fire  Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  Nominal heat output  KW	Essential characteristics	Performance
Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Pass  Emission of combustible products  CO [ %]  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  KW	Fire safety	
Rear = Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass  Electrical safety Pass  Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Reaction to fire	A1
Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass Electrical safety Pass Cleanability Pass  Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD  Thermal output Nominal heat output  KW	Distance to combustible materials	Minimum distances, in mm.
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Rear =
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Sides =
Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Front =
Surface temperature  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW	Risk of burning fuel falling out	Pass
Electrical safety Cleanability Pass Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD Thermal output Nominal heat output kW	Emission of combustible products	CO [ %]
Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Surface temperature	Pass
Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Electrical safety	Pass
Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Cleanability	Pass
Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Maximum water operating pressure	- bar
Thermal output  Nominal heat output  kW	Fluegas temperature at nominal heat output	T [°C]
Nominal heat output kW ,	Mechanical resistance (to carry a chimney /flue)	NPD
	Thermal output	
Room heating output	Nominal heat output	kW (
· · · · · · · · · · · · · ·   /   /	Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output - kW	Water heating output	- kW  -
Energy efficiency \(\Pi\) [%] at nominal heat output	Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013



Peter Jessen Hansen

# Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:



2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

3.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply



4. Name and contact address of the manufacturer:

. . . . .

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO[%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable



6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

Not applicable

hot water supply

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

Morsø Jernstøberi A/S, Furvej 6, 7900

System 3



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	



Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.  Rear = Sides =	



	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen ⊮ansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]



Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- Notified body relevant to the assessment and 7.
- verification of constancy of performance:

- Roomheater burning solid fuel without
- hot water supply
- Morsø Jernstøberi A/S, Furvej 6, 7900
- Nykøbing Mors, Denmark
- Not applicable
- System 3
- Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	









Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Where applicable, name and contact address of 5. authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and 7.

verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD





Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# Managing Director DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW



Energy efficiency	η [%] at nominal heat output
-------------------	------------------------------

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (
Room heating output	$  kW \downarrow \rfloor   \times   C  $
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared



performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4.

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4



Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

5.

Performance
•
A1
Minimum distances, in mm.
Rear =
Sides =
Front =
Pass
CO [ %]
Pass
Pass
Pass
- bar
T [°C]
NPD
kW
$  kW \downarrow \rfloor \rangle$
- kW
η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director



## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	
Maximum water operating pressure	- bar	
Fluegas temperature at nominal heat output	T [°C]	
Mechanical resistance (to carry a chimney /flue)	NPD	
Thermal output		
Nominal heat output	kW	
Room heating output	kW	
Water heating output	- kW	
Energy efficiency	η [%] at nominal heat output	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in



accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

6. System of assessment and verification of constancy of performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

The performance of the product identified in points 1 and 2 is in conformity with the declared 9. performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Nykøbing Mors, Denmark



5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

Notified body relevant to the assessment and 7. verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	
Maximum water operating pressure	- bar	
Fluegas temperature at nominal heat output	T [°C]	
Mechanical resistance (to carry a chimney /flue)	NPD	
Thermal output		
Nominal heat output	kW	
Room heating output	kW	
Water heating output	- kW	
Energy efficiency	Π [%] at nominal heat output	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

hot water supply Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

5.

Nykøbing Mors, Denmark

Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3



7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance



Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification: R

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.



	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen **Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

5. Where applicable, name and contact address of

authorized representative: 6. System of assessment and verification of constancy of

performance of the construction product: 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass



Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass



Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

 Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:7. Notified body relevant to the assessment and

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]







Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW



Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

# Managing Director DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output



This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	$  kW \downarrow \rfloor \rangle$
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified



in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Essential characteristics  Fire safety  Reaction to fire  Distance to combustible materials  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Room heating output  Room heating output  Room heating output	Harmonized technical specification	
Reaction to fire  Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  Nominal heat output  KW	Essential characteristics	Performance
Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Pass  Emission of combustible products  CO [ %]  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  KW	Fire safety	
Rear = Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass  Electrical safety Pass  Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Reaction to fire	A1
Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass Electrical safety Pass Cleanability Pass  Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD  Thermal output Nominal heat output  KW	Distance to combustible materials	Minimum distances, in mm.
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Rear =
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Sides =
Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Front =
Surface temperature  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW	Risk of burning fuel falling out	Pass
Electrical safety Cleanability Pass Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD Thermal output Nominal heat output kW	Emission of combustible products	CO [ %]
Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Surface temperature	Pass
Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Electrical safety	Pass
Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Cleanability	Pass
Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Maximum water operating pressure	- bar
Thermal output  Nominal heat output  kW	Fluegas temperature at nominal heat output	T [°C]
Nominal heat output kW ,	Mechanical resistance (to carry a chimney /flue)	NPD
	Thermal output	
Room heating output	Nominal heat output	kW (
· · · · · · · · · · · · · ·   /   /	Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output - kW	Water heating output	- kW  -
Energy efficiency \(\Pi\) [%] at nominal heat output	Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013



Peter Jessen Hansen

# Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:



2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

3.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply



4. Name and contact address of the manufacturer:

. . . .

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO[%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable



6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

Not applicable

hot water supply

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

Morsø Jernstøberi A/S, Furvej 6, 7900

System 3



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	



Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.  Rear = Sides =	



	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen ⊮ansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]



Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- Notified body relevant to the assessment and 7.
- verification of constancy of performance:

- Roomheater burning solid fuel without
- hot water supply
- Morsø Jernstøberi A/S, Furvej 6, 7900
- Nykøbing Mors, Denmark
- Not applicable
- System 3
- Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	









Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900 4.

Nykøbing Mors, Denmark

Where applicable, name and contact address of 5. authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and 7.

verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD





Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW



Energy efficiency	η [%] at nominal heat output
-------------------	------------------------------

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

## **Managing Director DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	$ kW \downarrow \rfloor $
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared



performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4.

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

6.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4



Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

5.

Performance
•
A1
Minimum distances, in mm.
Rear =
Sides =
Front =
Pass
CO [ %]
Pass
Pass
Pass
- bar
T [°C]
NPD
kW
$  kW \downarrow \rfloor \rangle$
- kW
η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director



## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in



accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

6. System of assessment and verification of constancy of performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

The performance of the product identified in points 1 and 2 is in conformity with the declared 9. performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Nykøbing Mors, Denmark



5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

Notified body relevant to the assessment and 7. verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

hot water supply Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

5.

Nykøbing Mors, Denmark

Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3



7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance



Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification: R

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.



	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen **Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

5. Where applicable, name and contact address of

authorized representative: 6. System of assessment and verification of constancy of

performance of the construction product: 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass



Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass



Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

 Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:7. Notified body relevant to the assessment and

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]







Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW



Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

# Managing Director DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output



This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of

Notified body relevant to the assessment and 7. verification of constancy of performance:

performance of the construction product:

System 3

Not applicable

Notified body No.

8. Declared performance:

6.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, \ )
Room heating output	kW \
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified



in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Essential characteristics  Fire safety  Reaction to fire  Distance to combustible materials  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Room heating output  Room heating output  Room heating output	Harmonized technical specification	
Reaction to fire  Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  Nominal heat output  KW	Essential characteristics	Performance
Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Pass  Emission of combustible products  CO [ %]  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  KW	Fire safety	
Rear = Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass  Electrical safety Pass  Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Reaction to fire	A1
Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass Electrical safety Pass Cleanability Pass  Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD  Thermal output Nominal heat output  KW	Distance to combustible materials	Minimum distances, in mm.
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Rear =
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Sides =
Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Front =
Surface temperature  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW	Risk of burning fuel falling out	Pass
Electrical safety Cleanability Pass Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD Thermal output Nominal heat output kW	Emission of combustible products	CO [ %]
Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Surface temperature	Pass
Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Electrical safety	Pass
Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Cleanability	Pass
Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Maximum water operating pressure	- bar
Thermal output  Nominal heat output  kW	Fluegas temperature at nominal heat output	T [°C]
Nominal heat output kW ,	Mechanical resistance (to carry a chimney /flue)	NPD
	Thermal output	
Room heating output	Nominal heat output	kW (
· · · · · · · · · · · · · ·   /   /	Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output - kW	Water heating output	- kW  -
Energy efficiency \(\Pi\) [%] at nominal heat output	Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013



Peter Jessen Hansen

# **Managing Director**

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

accordance with the applicable technical specification

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:



2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

3.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply



4. Name and contact address of the manufacturer:

. . . . .

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO[%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable



6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

Not applicable

hot water supply

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

Morsø Jernstøberi A/S, Furvej 6, 7900

System 3



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	



Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.  Rear = Sides =	



	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen ⊮ansen

**Managing Director** 

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]



Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- Notified body relevant to the assessment and 7.
- verification of constancy of performance:

- Roomheater burning solid fuel without
- hot water supply
- Morsø Jernstøberi A/S, Furvej 6, 7900
- Nykøbing Mors, Denmark
- Not applicable
- System 3
- Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	









Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900 4.

Nykøbing Mors, Denmark

Where applicable, name and contact address of 5. authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and 7.

verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD





Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW



Energy efficiency	η [%] at nominal heat output
-------------------	------------------------------

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# **Managing Director DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	$ kW \downarrow \rfloor $
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared



performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4.

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

6.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4



Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

5.

Performance
•
A1
Minimum distances, in mm.
Rear =
Sides =
Front =
Pass
CO [ %]
Pass
Pass
Pass
- bar
T [°C]
NPD
kW
$  kW \downarrow \rfloor \rangle$
- kW
η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director



# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in



accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

6. System of assessment and verification of constancy of performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

The performance of the product identified in points 1 and 2 is in conformity with the declared 9. performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Nykøbing Mors, Denmark



5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

Notified body relevant to the assessment and 7. verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

hot water supply Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

5.

Nykøbing Mors, Denmark

Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3



7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance



Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification: R

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.



	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

5. Where applicable, name and contact address of

authorized representative: 6. System of assessment and verification of constancy of

performance of the construction product: 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass



Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass



Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]







Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and

verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW



Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

# Managing Director DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output



This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of

Notified body relevant to the assessment and 7. verification of constancy of performance:

performance of the construction product:

System 3

Not applicable

Notified body No.

8. Declared performance:

6.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, \ )
Room heating output	kW \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified



in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Essential characteristics  Fire safety  Reaction to fire  Distance to combustible materials  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Room heating output  Room heating output  Room heating output	Harmonized technical specification	
Reaction to fire  Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  Nominal heat output  KW	Essential characteristics	Performance
Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Pass  Emission of combustible products  CO [ %]  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  KW	Fire safety	
Rear = Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass  Electrical safety Pass  Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Reaction to fire	A1
Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass Electrical safety Pass Cleanability Pass  Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD  Thermal output Nominal heat output  KW	Distance to combustible materials	Minimum distances, in mm.
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Rear =
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Sides =
Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Front =
Surface temperature  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW	Risk of burning fuel falling out	Pass
Electrical safety Cleanability Pass Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD Thermal output Nominal heat output kW	Emission of combustible products	CO [ %]
Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Surface temperature	Pass
Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Electrical safety	Pass
Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Cleanability	Pass
Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Maximum water operating pressure	- bar
Thermal output  Nominal heat output  kW	Fluegas temperature at nominal heat output	T [°C]
Nominal heat output kW ,	Mechanical resistance (to carry a chimney /flue)	NPD
	Thermal output	
Room heating output	Nominal heat output	kW (
· · · · · · · · · · · · · ·   /   /	Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output - kW	Water heating output	- kW  -
Energy efficiency \(\Pi\) [%] at nominal heat output	Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013



Peter Jessen Hansen

### **Managing Director**

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

accordance with the applicable technical specification

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:



2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

3.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply



4. Name and contact address of the manufacturer:

. . . . .

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO[%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable



6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

Not applicable

hot water supply

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

Morsø Jernstøberi A/S, Furvej 6, 7900

System 3



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

4.

5.

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Where applicable, name and contact address of

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	



Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.  Rear = Sides =	



	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen ⊮ansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]



Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- Notified body relevant to the assessment and 7.
- verification of constancy of performance:

- Roomheater burning solid fuel without
- hot water supply
- Morsø Jernstøberi A/S, Furvej 6, 7900
- Nykøbing Mors, Denmark
- Not applicable
- System 3
- Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	









Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900 4.

Nykøbing Mors, Denmark

Where applicable, name and contact address of 5. authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and 7.

verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD





Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW



Energy efficiency	η [%] at nominal heat output
-------------------	------------------------------

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

#### **Managing Director DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	$ kW \downarrow \rfloor $
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared



performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4.

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

6.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4



Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

5.

Performance
•
A1
Minimum distances, in mm.
Rear =
Sides =
Front =
Pass
CO [ %]
Pass
Pass
Pass
- bar
T [°C]
NPD
kW
$  kW \downarrow \rfloor \rangle$
- kW
η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director



#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in



accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

6. System of assessment and verification of constancy of performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

The performance of the product identified in points 1 and 2 is in conformity with the declared 9. performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Nykøbing Mors, Denmark



5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

Notified body relevant to the assessment and 7. verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

hot water supply Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

5.

Nykøbing Mors, Denmark

Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3



7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance



Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

DECLARATION OF PERFORMANCE

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification: R

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.



	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen **Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

5. Where applicable, name and contact address of

authorized representative: 6. System of assessment and verification of constancy of

performance of the construction product: 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass



Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass



Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

 Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:7. Notified body relevant to the assessment and

Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]







Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW



Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

5. Where applicable, name and contact address of

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output



This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	$  kW \downarrow \rfloor \rangle$
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified



in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Essential characteristics  Fire safety  Reaction to fire  Distance to combustible materials  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Room heating output  Room heating output  Room heating output	Harmonized technical specification	
Reaction to fire  Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  Nominal heat output  KW	Essential characteristics	Performance
Distance to combustible materials  Minimum distances, in mm.  Rear = Sides = Front =  Risk of burning fuel falling out  Pass  Emission of combustible products  CO [ %]  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  Nominal heat output  KW	Fire safety	
Rear = Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass  Electrical safety Pass  Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Reaction to fire	A1
Sides = Front =  Risk of burning fuel falling out Pass  Emission of combustible products CO [ %]  Surface temperature Pass Electrical safety Pass Cleanability Pass  Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD  Thermal output Nominal heat output  KW	Distance to combustible materials	Minimum distances, in mm.
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Electrical safety  Cleanability  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Rear =
Risk of burning fuel falling out  Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Sides =
Emission of combustible products  Surface temperature  Pass  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW		Front =
Surface temperature  Electrical safety  Pass  Cleanability  Pass  Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  KW	Risk of burning fuel falling out	Pass
Electrical safety Cleanability Pass Maximum water operating pressure Fluegas temperature at nominal heat output T [°C] Mechanical resistance (to carry a chimney /flue) NPD Thermal output Nominal heat output kW	Emission of combustible products	CO [ %]
Cleanability Pass  Maximum water operating pressure - bar  Fluegas temperature at nominal heat output T [°C]  Mechanical resistance (to carry a chimney /flue) NPD  Thermal output  Nominal heat output kW	Surface temperature	Pass
Maximum water operating pressure  Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Electrical safety	Pass
Fluegas temperature at nominal heat output  Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Cleanability	Pass
Mechanical resistance (to carry a chimney /flue)  Thermal output  Nominal heat output  kW	Maximum water operating pressure	- bar
Thermal output  Nominal heat output  kW	Fluegas temperature at nominal heat output	T [°C]
Nominal heat output kW ,	Mechanical resistance (to carry a chimney /flue)	NPD
	Thermal output	
Room heating output	Nominal heat output	kW (
· · · · · · · · · · · · · ·   /   /	Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output - kW	Water heating output	- kW  -
Energy efficiency \(\Pi\) [%] at nominal heat output	Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013



Peter Jessen Hansen

# Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

Identification element of the construction product: 2.

Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

#### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:



2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

3.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

Roomheater burning solid fuel without hot water supply



4. Name and contact address of the manufacturer:

. . . . .

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO[%]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

#### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable



6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900 Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

Not applicable

hot water supply

Nykøbing Mors, Denmark

Roomheater burning solid fuel without

Morsø Jernstøberi A/S, Furvej 6, 7900

System 3



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

3.

4.

5.

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

Intended use or uses of the construction product, in accordance with the applicable technical specification:

Name and contact address of the manufacturer:

authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Where applicable, name and contact address of

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	



Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	
Maximum water operating pressure	- bar	
Fluegas temperature at nominal heat output	T [°C]	
Mechanical resistance (to carry a chimney /flue)	NPD	
Thermal output		
Nominal heat output	kW	
Room heating output	kW	
Water heating output	- kW	
Energy efficiency	η [%] at nominal heat output	

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

## **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.  Rear = Sides =	



	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen ⊮ansen

**Managing Director** 

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3.

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

Not applicable

System of assessment and verification of constancy of

performance of the construction product:

System 3

Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

6.

7.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]



Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- 4. Name and contact address of the manufacturer:
- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- Notified body relevant to the assessment and 7.
- verification of constancy of performance:

- Roomheater burning solid fuel without
- hot water supply
- Morsø Jernstøberi A/S, Furvej 6, 7900
- Nykøbing Mors, Denmark
- Not applicable
- System 3
- Notified body No.

Harmonized technical specification		
Essential characteristics	Performance	
Fire safety		
Reaction to fire	A1	
Distance to combustible materials	Minimum distances, in mm.	
	Rear =	
	Sides =	
	Front =	
Risk of burning fuel falling out	Pass	
Emission of combustible products	CO [ %]	
Surface temperature	Pass	
Electrical safety	Pass	
Cleanability	Pass	









Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- 3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900 4.

Nykøbing Mors, Denmark

Where applicable, name and contact address of 5. authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

Notified body relevant to the assessment and 7.

verification of constancy of performance:

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD





Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

# Managing Director **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

- 5. Where applicable, name and contact address of authorized representative:
- 6. System of assessment and verification of constancy of performance of the construction product:
- 7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW \
Water heating output	- kW



Energy efficiency	η [%] at nominal heat output
-------------------	------------------------------

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of

authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (
Room heating output	$  kW \downarrow \rfloor   \times   C  $
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared



performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- Unique identification code of product-type: 1.
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

4.

Roomheater burning solid fuel without

hot water supply

Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

System of assessment and verification of constancy of 6. performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW (, )
Room heating output	kW \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4



Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

# **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

5.

Performance
•
A1
Minimum distances, in mm.
Rear =
Sides =
Front =
Pass
CO [ %]
Pass
Pass
Pass
- bar
T [°C]
NPD
kW
$  kW \downarrow \rfloor \rangle$
- kW
η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director



### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in

accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

**Managing Director** 

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011



1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

### 8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- 3. Intended use or uses of the construction product, in



accordance with the applicable technical specification:

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer: Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

5. Where applicable, name and contact address of authorized representative:

Not applicable

6. System of assessment and verification of constancy of performance of the construction product:

System 3

7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

The performance of the product identified in points 1 and 2 is in conformity with the declared 9. performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director

### **DECLARATION OF PERFORMANCE**

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- Identification element of the construction product: 2.
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:
- Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

hot water supply

4. Name and contact address of the manufacturer:

Nykøbing Mors, Denmark



5. Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3

Notified body relevant to the assessment and 7. verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	Π [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

- 1. Unique identification code of product-type:
- 2. Identification element of the construction product:
- Intended use or uses of the construction product, in 3. accordance with the applicable technical specification:

Name and contact address of the manufacturer: 4.

hot water supply Morsø Jernstøberi A/S, Furvej 6, 7900

Roomheater burning solid fuel without

5.

Nykøbing Mors, Denmark

Where applicable, name and contact address of authorized representative:

Not applicable

System of assessment and verification of constancy of 6. performance of the construction product:

System 3



7. Notified body relevant to the assessment and verification of constancy of performance:

Notified body No.

8. Declared performance:

Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1st 2013

Peter Jessen Hansen Managing Director

**DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.



Harmonized technical specification	
Essential characteristics	Performance
Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen

Managing Director **DECLARATION OF PERFORMANCE** 

Regulation (EU) 305/2011

No.

1. Unique identification code of product-type:

2. Identification element of the construction product:

3. Intended use or uses of the construction product, in accordance with the applicable technical specification:

4. Name and contact address of the manufacturer:

5. Where applicable, name and contact address of authorized representative:

6. System of assessment and verification of constancy of performance of the construction product:

7. Notified body relevant to the assessment and verification of constancy of performance:

Roomheater burning solid fuel without

hot water supply

Morsø Jernstøberi A/S, Furvej 6, 7900

Nykøbing Mors, Denmark

Not applicable

System 3

Notified body No.

Harmonized technical specification	
Essential characteristics	Performance



Fire safety	
Reaction to fire	A1
Distance to combustible materials	Minimum distances, in mm.
	Rear =
	Sides =
	Front =
Risk of burning fuel falling out	Pass
Emission of combustible products	CO [ %]
Surface temperature	Pass
Electrical safety	Pass
Cleanability	Pass
Maximum water operating pressure	- bar
Fluegas temperature at nominal heat output	T [°C]
Mechanical resistance (to carry a chimney /flue)	NPD
Thermal output	
Nominal heat output	kW
Room heating output	kW
Water heating output	- kW
Energy efficiency	η [%] at nominal heat output

This declaration of performance is issued under the sole responsibility of the manufacturer identified

in point 4

Nykøbing Mors, July 1<sup>st</sup> 2013

Peter Jessen Hansen Managing Director